

FIG. -1-




FIG. -2-

Welcome to the Milliken Connections Site!

This site allows for new and exciting communications between Milliken and via the internet.

To share from

"Certainly the Net is a powerful medium for communication. But even more important, it is a vocational medium - a place where real work gets done, real competitive advantage is gained, and real growth is generated"

Building is a building on the Site that has used quiet a bit of Milliken carpet in the past and will try and use some of the older product again by reusing the carpet after being processed by Milliken's Earth Square program.

Project of the month

Milliken Projects from Around the World and other great Milliken carpet projects for review !

What's New with and Milliken!

Americas

Asia

Latin America

Europe

Global Inventory

Products on Contract

Product Leadtimes

About Earth Square and First Appearances

How to maintain your carpet

Contact Milliken Now!

How to order Milliken carpet off the contract

Back to Top

How to use this site

How to Use this Site

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Welcome to your Milliken commercial carpet online service network. We hope that this new online service brings value to you by enhancing our collaborative efforts and making it easier for you to do business with us.

"Milliken.carpet.online.....we're just a click away"

When you click on the categories displayed on the navigation bar above:

Projects - Will display completed and current projects, and will allow you to start a new project.

Products - Description of products, samples available

Customer Services - Answers to questions about ordering, packaging, and products.

Contact Us - Your ability to contact Milliken with any questions, comments, and suggestions.

Back to the Top - Takes you back to the top of the page you are currently viewing.

Links - Earth Square, First Appearances, MilliCare

Milliken Carpet online
Home Projects Products Customer Services Contact Us
View Active Projects View Complete Projects
Give Me a Proposal
Enter New Project

Projects

Projects

Milliken Carpet online

- Milliken Carpet online

Home Projects Products Customer Services Contact Us

View Active Projects

View Complete Projects

Give Me a Proposal

Enter New Project

FIG. 5

Projects for (USA)[illegible]

CH

[illegible]

FIG. 7

Fig. 7

(*Will Automatically Fill in From Registration Form): **ENTER HERE**

New Project

Your Name * _____ Your Title* _____
Company Name * _____ E-Mail* _____
Your Address * _____ Fax * _____
_____ Phone* _____

Milliken Project # _____ (Milliken Supplied)
Project Name _____ (Based on registration link to Sales Person)
Project Location/Address _____

Your Project Manager: Name: _____ Phone _____

Project Type: Check		Project Details:	
<input type="checkbox"/> New Construction	<input type="checkbox"/> Main Office	Square Footage	_____
<input type="checkbox"/> Renovation	<input type="checkbox"/> Branch Office	Construction Start Date	_____
<input type="checkbox"/> Service Center	<input type="checkbox"/> Other	Carpet Needed by Date	_____
<input type="checkbox"/>			

FIG. 8A

Project Details Continued

Construction Manager:	Company _____	Name _____	Phone _____
General Contractor:	Company _____	Name _____	Phone _____
A&D Firm:	Company _____	Name _____	Phone _____

Preferred Purchase Method: Check One

- ☐ Direct From Milliken
☐ Through Certified Dealer

Carpet Type:

Pattern _____

Color _____

FIG. 8B

Give me a Proposal

Preferred Installation: Direct from Milliken _____
(Floor Ready for Carpet) Certified Local Installer _____

Other Installation Services Required:
Occupied Office Replacement _____
Post Installation Cleaning (Carpet) _____
Other _____

Bill to: Name _____ Ship to: (Specific Location)
Address _____ Name _____
_____ Address _____
_____ _____
_____ _____

Your PO#/Reference#: _____

Products (each):
Pattern _____
Color _____
Quantity (Sq. Ft.) _____

We will respond to your request in 2-3 working days, via e-mail. If your response requirements are needed faster please check here: ☐
(E-mail to Account Leader, Sales Person and Log)

FIG. 9A

Project Details Continued

Construction Manager:	Company	Name	Phone
General Contractor:	Company	Name	Phone
A&D Firm:	Company	Name	Phone

Preferred Purchase Method: Check One

- ☐ Direct From Milliken
☐ Through Certified Dealer

Carpet Type:

Pattern _____
Color _____

FIG. 9B

Contact Us

Contact
Us

Milliken Carpet online

Milliken Carpet online

[Home](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Please fill in all fields and submit for response.

Submit Date:

First Name:

Last Name:

E-mail Address:

Comments/Questions:

Submit

or mail or phone us:

Who do you want to contact:

- ☐ Account Leader
☐ Customer Service
☐ Site Management

Milliken Commercial Carpet

Corporate Accounts

PO Box 2956

M-806/ MDC

LaGrange, Ga. 30241

1-800-241-4826 ext. 5815

Contents copyright © 2000 Milliken & Company. All Rights Reserved. Milliken is a registered trademark of Milliken & Company.

FIG. 10

Earth Square at

at

recently chose to use
Earth Square at their

site.

Earth Square After

Earth Square Before

I. What is Earth Square?

- A.) Earth Square prevents carpet from being landfilled by renewing older carpet tile.
- B.) The face of the tile is renewed via a revolutionary process.
- C.) A new pattern is then applied via the Millitron Dyeing Process.

II. Why Earth Square?

- A.) It's 100% post consumer recycled content.
- B.) We can renew modular carpet tile for reuse at
- C.) can purchase renewed tile from Milliken.

III. Latest Global Recognition

FIG. 11

Copyright © 2004 Milliken & Company. All Rights Reserved.
Milliken is a registered trademark of Milliken & Company.

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

First Appearances Entry System

A first impression is important especially in a place of business. This is also true of maintenance and upkeep of the environment in which we work. A high profile cleaning program that maintains entrances at an optimal level will yield positive results for your business.

Keeping entrances and lobbies clean would seem to be an insurmountable task. However, sometimes the resolution to many of our cleaning and maintenance problems is right under our feet, and nowhere is this more the case than when people enter buildings. Approximately 80% of the dirt in a building got there by being carried in on people. Removing the dirt once it is inside can cost upward of \$600 per pound.

One commercial matting manufacturer indicates that up to 24 pounds of dirt can be tracked into a facility by 1,000 people coming through an entrance in a 20-day work month. Thus, the removal of dirt can be very expensive. The key is to stop the dirt from coming into the building. Using the figures provided, it could cost \$14,400 to remove the dirt monthly or a \$172,800 per year!

Most of the dirt could have been collected at entrances by our First Appearances Product Line. First Appearances is comprised of three phases of product designs. A client may use all for the optimum effect or just one in a targeted application. The phases are as follows:

EZ-Scrub

Brush Off

Clean Sweep

FIG. 12

Milliken Carpet online

[View Home Pages](#)

© 2001 Milliken Carpet Company

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

EZ-Scrub:

This phase is a 100% thermoplastic that is typically deployed on the exterior of a building under an overhang and as a border around Brush Off installations. It comes in 7.67 inch square modules that are easily pieced together.




Figure 13: EZ-Scrub, a 100% thermoplastic that is typically deployed on the exterior of a building under an overhang and as a border around Brush Off installations. It comes in 7.67 inch square modules that are easily pieced together.

FIG. 13




Milliken Carpet Online

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Brush Off:

This phase is a 100% thermoplastic with an engineered textile that is typically deployed on the exterior of a building under an overhang or in air locks. It comes in 7.67 inch square modules that are easily pieced together.



Milliken Carpet Online

[View Home Pages](#)

Milliken



[View Home Pages](#)

Brush Off phase is a 100% thermoplastic with an engineered textile that is typically deployed on the exterior of a building under an overhang or in air locks. It comes in 7.67 inch square modules that are easily pieced together.

FIG. 14

Clean Sweep:

This phase is an 18 Inch modular engineered textile that is typically used in air locks or on the immediate inside of a building. It is installed in a manner similar to modular carpet.



1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

FIG. 15

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Carpet Standards Program is the collection below in 3'x3' or 18x18" Modular platforms (cut or loop pile finishes)

The site took an inventory of what was on the floor, what was in the stockroom on site and then worked with Milliken Design to come up with patterns and colors that worked with existing finishes and new furniture standards. The team at reduced inventory and the chance that a product would be discontinued in the future. These patterns will also work on old carpet that will be "Earth Squared" and reused at or other sites around the world.

SITE STANDARDS FOR MODULAR CARPET

[Back to Home](#)

Copyright © 2000 Milliken & Company, Inc. All Rights Reserved.
Milliken is a registered trademark of Milliken & Company.

[View Home Pages](#)

FIG. 16

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

MilliCare Commercial Carpet Care - Invisible Service, Visible Results

Professional maintenance is a significant factor in the long term appearance retention of carpeting. MilliCare is the preferred maintenance system for Milliken floor covering products. We invite you to view the attached file for a comprehensive overview of MilliCare's capabilities.



MilliCare Promises.pdf

millicare.com

[Back to Home](#)

For more information, please contact your local Milliken representative or visit our website at millicare.com.

Milliken Carpet Online

[View Home Pages](#)

FIG. 17

▼ **2. Specifications**Attitudes P/6601**Milliken Carpet****Date:** 06/29/2000**Supersedes:** 01/06/2000*Attitudes P/6601***SPECIFICATIONS (36" x 36" Modular with Comfort Plus®):**

Construction	Tufted, Textured Loop Pile
Face Fiber	100% Milliken Certified WearOn® Nylon
Soil Protectant	MiliGuard®
Antimicrobial	BioCare®
Dye Method	Spacedye®/Millitron®
Finished Face Weight	20 oz./sq.yd. (678.1 g/sq.m)
Gauge	1/8 in. (31.5/10 cm)
Rows	8.0/in. (31.5/10 cm)
Tufts	66.2/sq.in (1004.9/100 sq.cm)
Finished Pile Height	0.152 in. (3.86 mm) avg.

FIG. 18

Technical Information

Customer Services

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Carpet online

Acoustical Properties

To view this article click on the attachment and launch:



Acoustical Properties.pdf

Copyright © 2004, Milliken Carpet Company. All rights reserved.
Milliken is a registered trademark of Milliken & Company.

Customer Services

Milliken Carpet online

[Home](#) | [Projects](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Carpet online

Carpet Face Appearance Retention

To view this article click on the attachment and launch:



Carpet Face Appearance Retention.pdf

Copyright © 2004, Milliken Carpet Company. All rights reserved.
Milliken is a registered trademark of Milliken & Company.

FIS. 19

Customer Services
en Carpet online

Milliken Carpet online

Home | Projects | Products | Customer Services | Contact Us

Carpet Specifications

To view this article click on the attachment and launch:



Spanish Carpet Spec..pdf

Carpet specifications for the Milliken Comfort Plus carpet line.

Milliken Carpet online

Home | Projects | Products | Customer Services | Contact Us

An Overview of Comfort Plus

To view this article click on the attachment and launch:



Comfort Plus Overview.pdf

Comfort Plus Overview.pdf

FIG. 20

Value of Cushion Loop Construction

To view this article click on the attachment and launch:



Cushion Loop Construction.pdf

© 2000 Milliken & Company, All Rights Reserved.
All other trademarks and registered trademarks are the property of their respective owners.

Flammability Testing

To view this article click on the attachment and launch:



Flammability Testing.pdf

© 2000 Milliken & Company, All Rights Reserved.
All other trademarks and registered trademarks are the property of their respective owners.

FIG. 21

Milliken Carpet online

Home | Projects | Products | Customer Services | Contact Us

Indoor Air Quality Green Label Program

To view this article click on the attachment and launch:



Indoor Air Quality.pdf

Milliken Carpet Company, Inc. has been awarded the Green Label
by the U.S. Green Building Council (USGBC).

Milliken Carpet online

Home | Projects | Products | Customer Services | Contact Us

Reduction of Leg Muscle Fatigue

To view this article click on the attachment and launch:



Leg Muscle Fatigue.pdf

Milliken Carpet Company, Inc. has been awarded the Green Label
by the U.S. Green Building Council (USGBC).

FIG. 22

Customer
Services

Milliken Carpet online

[Home](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Open Cell or Closed Cell

To view this article click on the attachment and launch.



Open Cell or Closed Cell.pdf

Copyright © 2003 Milliken & Company. All Rights Reserved.
This document is a registered trademark of Milliken & Company.

Customer
Services

Milliken Carpet online

[Home](#) | [Products](#) | [Customer Services](#) | [Contact Us](#)

Shock Absorbance and Comfort

To view this article click on the attachment and launch:



Shock Absorbance and Comfort.pdf


Copyright © 2003 Milliken & Company. All Rights Reserved.
This document is a registered trademark of Milliken & Company.

FIG. 23

Products

Milliken & Company - Milliken Carpet online

[Home](#) | [Products](#) | [Projects](#) | [Customer Services](#) | [Contact Us](#)



Design Name	Secret Garden
Pattern	P/2178 36" x 36" Modular Cushion
Color Number	582
Color Name	Honeysuckle


[view a room scene](#)
[view installation photo](#)
[view product specification](#)
[order a sample](#)

All designs shown are the property of Milliken & Company and are protected under copyright law.
 Copyright © 2000 Milliken & Company. All Rights Reserved.

FIG. 24

FIG. 1


View a Room Scene



All designs shown are the property of Milliken & Company and are protected under copyright law.
Copyright © 2000 Milliken & Company. All Rights Reserved

FIG. 25

View Installation Photo



Marshall Pickens Hospital
Greenville South Carolina
Interiors: Dailey & Associates
Photography: Wes Walker

All designs shown are the property of Milliken & Company and are protected under copyright law.
Copyright © 2000 Milliken & Company, All Rights Reserved

FJD, 26

View Product Specification

Products

Milliken & Company - Milliken Carpet online

Home | Products | Customer Services | Contact Us

Milliken Carpet

Date: 09/07/2000

Supersedes: 06/29/2000

Movements

SPECIFICATIONS (36" x 36" Modular with Comfort Plus®):
P/2178 Movements

Construction
Face Fiber

Bonded, Cut Pile
100% Milliken Certified WearOn® Nylon
Twisted and Heat Set for Maximum Performance

Soil Protectant
Antimicrobial

MilliGuard®
BioCare®

Dye Method

Stock Dye/SpaceDye®/Millitron®

Finished Face Weight

28 oz./sq.yd. (949.4 g/sq.m)

Gauge

1/7.95 in. (31.3/10 cm)

Rows

6.9 in. (27.2/10 cm)

Tufts

54.9/sq.in. (851.4/100 sq.cm)

Finished Pile Height

0.161 in. (4.09 mm)

Average Density

6,261

Density Factor

455,554

Standard Backing

PVC-Free Comfort Plus® cushion

Nominal Total Thickness

0.42 in. (10.67 mm)

Flammability (Radiant Panel ASTM-E-648)

>=0.45 (Class 1)

Smoke Density (NFPA-258-T or ASTM-E-662)

<=450

Methenamine Pill Test

Self-Extinguishing

(CPSC FF-1-70 or ASTM D 2859)

Lightfastness (AATCC 16F)

>=40 at 80 hrs

FIG. 27

Order a Sample

Products

Availability

Entry Square

First Appearance

Product Order
Process

Location &
Publication

Milliken & Company - Milliken Carpet online

[Home](#) [Products](#) [Customer Services](#) [Contact Us](#)

Add '682 - Honeysuckle' to your sample order


Please select the quantity and the sample item you want of this product. Then click the 'ADD TO ORDER' button below.

Pattern Number
502178

Pattern Name
P/2178: 36" x 36" Modular - Cushion

Color Number
00682

Color Name
Honeysuckle



Sample Quantity
Item

Project Identification

(optional) Side Mark - 15 char max.

Add to Order

You may add 4 more Line Items to this order; then it must be submitted.

All designs shown are the property of Milliken & Company and are protected under copyright law.
Copyright © 2000 Milliken & Company. All Rights Reserved.

FLG, 28

quality

innovation

service

Milliken Carpet Online

Enter Your Name And Password

Enter username and password for access

Name : Dana Smith

Password : ●●●●●●●●

OK Cancel

FILE 29

quality
innovation
service

Milliken Carpet online

XYZ INC.

Projects	Business Review	Samples	Customer Services
----------	-----------------	---------	-------------------

Welcome to the Milliken Carpet online - XYZ INC.

corporate uplink. From this site you will be able to check up on all project information both current and past.

Also you can look up information on Milliken products and services, including Millicare, Levitate and E2.




FIG. 30

XYZ INC.

Projects	Business Review	Samples	Customer Services
----------	-----------------	---------	-------------------

Project ID	Project Name	Project Leader	Date
0000001	Concept Office	Bob	1-1-00
0000002	US Head Quarters	Sally	2-2-00
0000003	Phoenix Branch	Tim	3-3-00
0000004	Dallas Branch	Jim	4-4-00
0000005	Trade Show	Bob	5-5-00
0000006	New York Branch - A	Sally	6-6-01
0000007	New York Branch - B	Tim	3-3-01
0000008	Chicago Branch	Jim	2-2-01

XYZ INC.

Projects	Business Review	Samples	Customer Services
Profile	Companies	Projects	Notes

Project Details	
Name	Concept Office
Type	Carpet
Number	000001
Leader	<u>Bob</u>
Segment	Contract
Size	5,000M ²

Location	
Building	Research Centre
Address	201 East Vine Street
City	Boston
Post Code	55555
Country	USA

00001 - Need extra carpet tiles.
00002 - Need extra border tiles.

MS. 22

XYZ INC.

Projects

Business Review

Samples

Customer Services

Activity reports 1998

Select Topic

✓ purchases products

Quarter 1

Quarter 3

Quarter 4

Address

Country

Description

M2

Date

Price

201 E. Vine St.

USA

Carpet

5,000

1-1-00

50.00

Totals

5,000

50.00

Samples

Milliken Carpet online

XYZ INC.

Projects

Business Review









Samples

Customer Services

Swatches

Order Form

Click to order



Figs. 35

XYZ INC.

Projects	Business Review	Samples	Customer Services
	<u>Product Specifications</u>	Product Test Data	Maintenance

Click to view

Product Specification	Product Test Data	Maintenance
<u>Colour Accents Comfort Plus</u>	<u>Grand Plaza Comfort Plus</u>	<u>Maintenance Recommendations</u>
<u>Colourweave Hard Back</u>	<u>Colourweave Hard Back</u>	
<u>Compendium Comfort Plus</u>	<u>Metro Square II Hard Back</u>	

FIG. 36